

DATA SHEET

FortiGate/FortiWiFi® 40F Series

Secure SD-WAN
Unified Threat Management



The FortiGate/FortiWiFi 40F series offers an excellent Security and SD-WAN solution in a compact fanless desktop form factor for enterprise branch offices and mid-sized businesses. Protects against cyber threats with industry-leading secure SD-WAN in a simple, affordable, and easy to deploy solution.

Security

- Identifies thousands of applications inside network traffic for deep inspection and granular policy enforcement
- Protects against malware, exploits, and malicious websites in both encrypted and non-encrypted traffic
- Prevents and detects against known and unknown attacks using continuous threat intelligence from Al-powered FortiGuard Labs security services

Performance

- Delivers industry's best threat protection performance and ultra-low latency using purpose-built security processor (SPU) technology
- Provides industry-leading performance and protection for SSL encrypted traffic

Certification

- Independently tested and validated best security effectiveness and performance
- Received unparalleled third-party certifications from NSS Labs, ICSA, Virus Bulletin, and AV Comparatives

Networking

- Best of Breed SD-WAN capabilities to enable application steering using WAN path control for high quality of experience
- Delivers advanced networking capabilities, high-performance, and scalable IPsec VPN capabilities

Management

- Includes a Management Console that is effective, simple to use, and provides comprehensive network automation & visibility.
- Provides Zero Touch Integration with Security Fabric's Single Pane of Glass Management
- Predefined compliance checklist analyzes the deployment and highlights the best practices to improve overall security posture

Security Fabric

- Enables Fortinet and Fabric-ready partners' products to provide broader visibility, integrated end-to-end detection, threat intelligence sharing and automated remediation
- Automatically builds Network Topology visualizations which discover IoT devices and provide complete visibility into Fortinet and Fabric-ready partner products

Firewall	IPS	NGFW	Threat Protection	Interfaces
5 Gbps	1 Gbps	800 Mbps	600 Mbps	Multiple GE RJ45


Deployment

Unified Threat Management (UTM)


- Integrated wired and wireless networking to simplify IT
- Purpose-built hardware for industry best performance with easy administration through cloud management
- Provides consolidated security and networking for small businesses and consistently provides top-rated threat protection
- Proactively blocks newly discovered sophisticated attacks in real-time with advanced threat protection



- Secure direct Internet access for Cloud Applications for improved latency and reduced WAN cost spending
- High-performance and cost-effective threat protection capabilities
- WAN Path Controller and Link Health Monitoring for better application performance and quality of experience
- Security Processer powered industry's best IPsec VPN and SSL Inspection performance
- Simplified Management and Zero Touch deployment



FortiGate 40F deployment in Small Office (UTM)




FortiGate 40F deployment in Enterprise Branch (Secure SD-WAN)

Hardware

FortiGate/FortiWiFi 40F Series







Interfaces

- 1. USB Port
- 2. Console Port
- 3. 1x GE RJ45 WAN Port

- 4. 1x GE RJ45 FortiLink Port
- 5. 3x GE RJ45 Ethernet Ports

Powered by Purpose-built Secure SD-WAN ASIC SOC4



- Combines a RISC-based CPU with Fortinet's proprietary Security Processing Unit (SPU) content and network processors for unmatched performance
- Delivers industry's fastest application identification and steering for efficient business operations
- Accelerates IPsec VPN performance for best user experience on direct internet access
- Enables the best of breed NGFW Security and Deep SSL Inspection with high performance
- Extends security to access layer to enable SD-Branch transformation with accelerated and integrated switch and access point connectivity

3G/4G WAN Connectivity

The FortiGate 40F Series includes a USB port that allows you to plug in a compatible third-party 3G/4G USB modem, providing additional WAN connectivity or a redundant link for maximum reliability.

Compact and Reliable Form Factor

Designed for small environments, you can place it on a desktop or wall-mount it. It is small, lightweight yet highly reliable with a superior MTBF (Mean Time Between Failure), minimizing the chance of a network disruption.

Extends Security to Access Layer with FortiLink Ports

FortiLink protocol enables you to converge security and the network access by integrating the FortiSwitch into the FortiGate as a logical extension of the NGFW. These FortiLink enabled ports can be reconfigured as regular ports as needed.

Fortinet Security Fabric


Security Fabric

The Security Fabric delivers broad visibility, integrated Al-driven breach prevention, automated operations, orchestration, and response across all Fortinet and its ecosystem deployments. It allows security to dynamically expand and adapt as more and more workloads and data are added. Security seamlessly follows and protects data, users, and applications as they move between IoT, devices, and cloud environments throughout the network. All this is tied together under a single pane of glass management thereby delivering leading security capabilities across your entire environment while also significantly reducing complexity.

FortiGates are the foundation of Security Fabric, expanding security via visibility and control by tightly integrating with other Fortinet security products and Fabric-Ready Partner solutions.

FortiOS

Control all security and networking capabilities across the entire FortiGate platform with one intuitive operating system. Reduce complexity, costs, and response time with a truly consolidated next-generation security platform.



FortiClient FortiAP FortiSter FortiAp FortiSter FortiAnalyzer FortiSter FortiSter FortiAnalyzer FortiSter FortiSter FortiSter FortiSter FortiSter FortiAnalyzer FortiSter FortiSter FortiSter FortiSter FortiAnalyzer FortiSter FortiSter FortiSter FortiAnalyzer FortiSter FortiSte

- A truly consolidated platform with a single OS and pane-ofglass for all security and networking services across all FortiGate platforms.
- Industry-leading protection: NSS Labs Recommended, VB100, AV Comparatives, and ICSA validated security and performance.
 Ability to leverage latest technologies such as deception-based security.
- Control thousands of applications, block the latest exploits, and filter web traffic based on millions of real-time URL ratings in addition to true TLS 1.3 support.
- Prevent, detect, and mitigate advanced attacks automatically in minutes with integrated Al-driven breach prevention and advanced threat protection.
- Improved user experience with innovative SD-WAN capabilities and ability to detect, contain and isolate threats with Intent-based Segmentation.
- Utilize SPU hardware acceleration to boost security capability performance.

Services



FortiGuard[™] Security Services

FortiGuard Labs offer real-time intelligence on the threat landscape, delivering comprehensive security updates across the full range of Fortinet's solutions. Comprised of security threat researchers, engineers, and forensic specialists, the team collaborates with the world's leading threat monitoring organizations and other network and security vendors, as well as law enforcement agencies.



FortiCare[™] Support Services

Our FortiCare customer support team provides global technical support for all Fortinet products. With support staff in the Americas, Europe, Middle East, and Asia, FortiCare offers services to meet the needs of enterprises of all sizes.



For more information, please refer to forti.net/fortiguard and forti.net/forticare



Specifications

	FORTIGATE 40F	FORTIWIFI 40F		
Hardware Specifications				
GE RJ45 WAN / DMZ Ports	1			
GE RJ45 Internal Ports	3			
GE RJ45 FortiLink Ports	1			
GE RJ45 PoE/+ Ports	_			
Wireless Interface				
USB Ports	1			
Console (RJ45)	1			
Internal Storage	_			
System Performance — Enterprise Traffic Mix				
IPS Throughput ²	1 Gbr	OS		
NGFW Throughput ^{2,4}	800 M	bps		
Threat Protection Throughput ^{2, 5}	600 M	bps		
System Performance				
Firewall Throughput	5/5/5 @	Bbps		
(1518 / 512 / 64 byte UDP packets)				
Firewall Latency (64 byte UDP packets)	4 µs			
Firewall Throughput (Packets Per Second)	7.5 Mp	ops		
Concurrent Sessions (TCP)	700,000			
New Sessions/Second (TCP)	35,000			
Firewall Policies	5,000			
IPsec VPN Throughput (512 byte) 1	4.4 Gbps			
Gateway-to-Gateway IPsec VPN Tunnels	200			
Client-to-Gateway IPsec VPN Tunnels	250)		
SSL-VPN Throughput	490 M	bps		
Concurrent SSL-VPN Users	200)		
(Recommended Maximum, Tunnel Mode)				
SSL Inspection Throughput (IPS, avg. HTTPS) ³	310 M	bps		
SSL Inspection CPS (IPS, avg. HTTPS) ³	320)		
SSL Inspection Concurrent Session (IPS, avg. HTTPS) ³	55,00	00		
Application Control Throughput (HTTP 64K) ²	990 M	bps		
CAPWAP Throughput (HTTP 64K)	3.5 Gt	pps		
Virtual Domains (Default / Maximum)	10 / 1	10		
Maximum Number of FortiSwitches Supported	8			
Maximum Number of FortiAPs (Total / Tunnel Mode)	10 /	5		
Maximum Number of FortiTokens	500)		
Maximum Number of Registered FortiClients	200)		
High Availability Configurations	Active / Active, Active /	Passive, Clustering		

	FORTIGATE 40F	FORTIWIFI 40F		
Dimensions				
Height x Width x Length (inches)	1.44 x 5	.5 x 8.52		
Height x Width x Length (mm)	36.5 x 140 x 216			
Weight	TBA			
Form Factor	Desktop			
Operating Environment and Certifications				
Power Required	100-240V AC, 60-50 Hz			
	(External DC Power Adapter, 12 VDC)			
Maximum Current	100V AC / 0.2A, 240V AC / 0.1A			
Total Available PoE Power Budget*	N/A			
Power Consumption (Average / Maximum)	12.4 W / 15.4 W	13.6 W / 16.6 W		
Heat Dissipation	52.55 BTU/hr	56.64 BTU/hr		
Operating Temperature	32-104°F (0-40°C)			
Storage Temperature	-31_158°F (-35_70°C)			
Humidity	10-90% no	n-condensing		
Noise Level	Fanles	s 0 dBA		
Operating Altitude	Un to 7 400 ft (2 250 m)			
Compliance	ECC Part 15 Class B. C-Tick, VCCL CE, UL/cUL, CB			
Certifications	ICSA Labs: Firewall, IPsec, IPS, Antivirus, SSL-VPN			

 $^{^{\}star}$ Maximum loading on each PoE/+ port is 30 W (802.3at).

Note: All performance values are "up to" and vary depending on system configuration.

- 1. IPsec VPN performance test uses AES256-SHA256.
- 2. IPS (Enterprise Mix), Application Control, NGFW, and Threat Protection are measured with Logging enabled.
- 3. SSL Inspection performance values use an average of HTTPS sessions of different cipher suites.
- 4. NGFW performance is measured with Firewall, IPS, and Application Control enabled.
- 5. Threat Protection performance is measured with Firewall, IPS, Application Control, and Malware Protection enabled.



Order Information

Product	SKU	Description
FortiGate 40F	FG-40F	5 x GE RJ45 ports (including 4 x Internal Ports, 1 x WAN Ports), Max managed FortiAPs (Total / Tunnel) 10 / 5
FortiWiFi 40F	FWF-40F	5 x GE RJ45 ports (including 4 x Internal Ports, 1 x WAN Ports), Wireless (802.11a/b/g/n/ac-W2), Max managed FortiAPs (Total / Tunnel) 10 / 5

Bundles



FortiGuard Labs delivers a number of security intelligence services to augment the FortiGate firewall platform. You can easily optimize the protection capabilities of your FortiGate with one of these FortiGuard Bundles.

Bundles	360 Protection	Enterprise Protection	UTM	Threat Protection
FortiCare	ASE 1	24x7	24x7	24x7
FortiGuard App Control Service	•	•	•	•
FortiGuard IPS Service	•	•	•	•
FortiGuard Advanced Malware Protection (AMP) — Antivirus, Mobile Malware, Botnet, CDR, Virus Outbreak Protection and FortiSandbox Cloud Service	•	•	•	•
FortiGuard Web Filtering Service	•	•	•	
FortiGuard Antispam Service	•	•	•	
FortiGuard Security Rating Service	•	•		
FortiGuard Industrial Service	•	•		
FortiCASB SaaS-only Service	•	•		
FortiConverter Service	•			
SD-WAN Cloud Assisted Monitoring ²	•			
SD-WAN Overlay Controller VPN Service ²	•			
FortiAnalyzer Cloud ²	•			
FortiManager Cloud ²	•			

1. 24x7 plus Advanced Services Ticket Handling 2. Available when running FortiOS 6.2



www.fortinet.com